



PRIME STABLES LTD

Hand Crafted Equestrian Buildings

Price List
September 2010

Tel: 01403 823 836
www.primestables.co.uk

Sustainability policy

Every year an area half the size of the UK is cleared of natural forests: temperate and tropical, North and South and on every continent. These forests, which once covered half of the planet, are irreplaceable and their loss has profound economic, social and environmental impacts, therefore we support the Timber Trade Associations Environmental Timber Purchasing Policy.

We are all temporary custodians of our planet and our company will ensure that your timber buildings are built from trees that are harvested from well managed, sustainable forests.

Therefore the timber used to produce your timber buildings has been sourced from well managed resources, under the close scrutiny of certified forestry control, which means that all trees harvested and used by us are from forests that are re-planted thus helping oxygenate our planet.

By using timber from this resource, we are genuinely helping the environment. As trees grow they eat up carbon dioxide and lock it in to the wood. By purchasing your new buildings from Prime Stables you will effectively, in a small way be helping our planet to heal.

Timber Treatments

Over recent years, traditional timber treatments have been found to contain carcinogenic properties, which could prove to be harmful to the health of humans and animals, along with the ground immediately surrounding the area where buildings are sited.

Tanalised, pressure treated or CCA timbers are all terms for a wood preservative system based on copper, chrome and arsenic. Tanalised timber can leach high amounts of extremely toxic arsenic and other harmful properties, which eventually when finally broken down can leach in to the soil.

As a company that is environmentally aware, we supply as a first option an animal friendly treatment that contains no arsenic or any of the other proven harmful chemicals. For the immediate future upon request we will also supply CCA treated timber at no additional cost.

Recycling Policy

To further protect our environment, Prime Stables have set in place a recycling initiative that covers not only the timber used and the associated wastage but all materials and products used by us in any way to once again minimize our company's environmental impact on our planet.

Contents



STABLE BLOCKS - PRIME RANGE

PAGES 4-5

STABLE BLOCKS - ROYAL RANGE

PAGES 6-7



STABLE BLOCKS - PREMIER RANGE

PAGES 8-9

MOBILE FIELD SHELTERS

PAGES 10-11

INTERNAL STABLES & AMERICAN BARN

PAGES 12-14



GARAGES & WORKSHOPS

PAGES 15-17

GARDEN BUILDINGS

PAGE 18



REPLACEMENT DOORS & WINDOWS

PAGE 19

DELIVERY CHARGES

PAGE 19



Prime Range



Stables

3.6 x 3.6m	£1,485.00
Additional boxes	£1,195.00

Pony Boxes

3.0 x 3.6m	£1,405.00
Additional boxes	£1,135.00

Foaling Boxes

4.2 x 3.6m	£1,660.00
Additional boxes	£1,385.00



Corner Boxes

4.5 x 4.5m	£1,720.00
4.9 x 3.6m	£1,720.00
5.4 x 3.6m	£1,905.00

Tack Rooms

1.8 x 3.6m	£755.00
2.4 x 3.6m	£870.00
3.0 x 3.6m	£920.00
3.6 x 3.6m	£1,070.00



Haybarns (& Fixed Field Shelters)

Incorporated into Stable Blocks	
3.6 x 3.6m	£1,025.00
4.5 x 3.6m	£1,210.00
6.0 x 3.6m	£1,440.00
7.2 x 3.6m	£1,670.00
9.0 x 3.6m	£2,010.00
12.0 x 3.6m	£2,885.00
For Corner Haybarns – add	£305.00
For Free Standing Haybarns - add	£380.00
Kickboarding (to create fixed field shelter)	Price on request

Covered Walkways

2.4 x 3.6m	£665.00
3.0 x 3.6m	£735.00
3.6 x 3.6m	£890.00



Ride Through Archways

3.6 x 4.5m	£2,145.00
4.5 x 4.5m	£2,565.00

All prices are exclusive of delivery and VAT



Prime Stables Specification

Shiplap Cladding

Top grade redwood shiplap cladding 16mm x 150mm, fixed with 50mm sheradised ring shank nails.

Framework

The Frameworks are manufactured with kiln dried timber, 47mm x 75mm. All timber is regularised and strength graded for structural use to C16-C24.

Kickboarding

All stables are kickboarded as standard to a height of 1.2m high with exterior grade 12mm Spruce plywood – multiple 5 layered, for structural integrity.

Roof

Black Onduline roof with galvanised ridge. Comes with a 15 year manufacturers warranty and has been wind tested up to 120mph. Also available in green, brown or red (see price below).

Standard roof pitch is 15 degrees.

Purlins 100mm x 47mm, 125mm x 47mm, 100mm x 100mm. Fitted to Onduline specification.

Doors

Doors are manufactured from 125mm x 25mm tongue, groove and v-jointed timber, ledged and braced.

Both top and bottom doors are lined with exterior grade plywood to give an overall thickness of 50mm.

Stable door size 1.1m wide x 2.1 high. Top door 0.8m high. Bottom door height 1.3m.

Bottom doors are furnished with 1 x strong anti-chew strip, 1 x heavy duty kick-over latch and 1 x 225mm brenton bolt, 1 x 150mm cabin hook and 1 pair of 600mm heavy duty tee hinges.

Top doors have 1 x 100mm oval pad bolt, 1 x 150mm cabin hook, 1 pair of 600mm heavy duty tee hinges.

All door furniture is fully galvanised.

Guttering

100mm half round black guttering with 50mm round downpipes are fitted as standard to the front of all buildings. Back guttering is available.

Windows

One sliding window is fitted to the front of each stable and to the rear of corner boxes.

Preservative

Buildings are treated with an animal friendly preservative product to a golden brown finish before leaving our workshop.

Other Details

All buildings are 2.2m to the eaves and approximately 2.9m to the ridge, when erected on one course of bricks.

Overhang at 0.9m deep, supplied unlined.

Back and end panels come with a weather prevention DPC skirt to eliminate water penetrating the base of the walls.

All internal roof trusses are open to aid ventilation except when sited next to a tack/feed room. In this instance they are fully boarded to ensure security is maintained.

Tack rooms are lined to eaves with exterior grade 9mm Spruce plywood.

Prime Range Optional Extras

Clear roof sheets	£35.00 each	Additional stable door	£210.00 per door
Gable end vents	£35.00 each	Top stable door	£85.00 per door
Back guttering	£10.00 per mtr run	Bottom stable door	£125.00 per door
Full lining to eaves height -9mm ply	£155.00 per stable	Tack room door - pad bolt	£120.00 per door
Full lining to eaves height -12mm ply	£190.00 per stable		
		Wooden gate	£195.00 each
Galvanised talk grill - 890W x 610H	£65.00 each	Metal gate	£135.00 each
Galvanised talk grill - 1170W x 760H	£90.00 each	Plywood lining to gates	£45.00 per gate
Anti-weave grill	£60.00 each		
Stallion grill	£60.00 each	Barn doors - 2.1m wide	£175.00 per set
		Barn doors - 2.4m wide	£220.00 per set
Timber floor	£26.00 per sq mtr		
Support post (100mm x 100mm)	£46.00 each	Top door frame protection	£70.00 per door
Curved angle braces	£20.00 each	Full door frame protection	£110.00 per door
		Extra deep door protection	£45.00 per door
Overhang lined in plywood	£20.00 per mtr run		
Overhang lined in shiplap	£24.00 per mtr run	Weatherboard cladding (150mm)	£35.00 per mtr run
Overhang lined in T, G & V	£25.00 per mtr run		
Coloured Onduline	£18.00 per mtr run	Clock tower	from £695.00 each
Matching ridge	£9.50 per mtr run	<i>(includes clock to one face only)</i>	
Profile 6 fibre cement	Price on request	Weather vanes	from £195.00 each
Underline roof - 11mm Smartply	£42.00 per mtr run	Clock only	from £425.00 each
Underline roof - 15mm Smartply	£48.00 per mtr run		
		All prices are exclusive of delivery and VAT	
Additional sliding window	£40.00 each		
Upgrade to fixed louvered window	£40.00 each		
Additional fixed louvered window	£60.00 each		



Royal Range

Stables

3.6 x 3.6m	£2,070.00
Additional boxes	£1,785.00

Pony Boxes

3.0 x 3.6m	£1,955.00
Additional boxes	£1,690.00

Foaling Boxes

4.2 x 3.6m	£2,290.00
Additional boxes	£2,015.00

Corner Boxes

4.5 x 4.5m	£2,395.00
4.9 x 3.6m	£2,395.00
5.4 x 3.6m	£2,600.00

Tack Rooms

1.8 x 3.6m	£930.00
2.4 x 3.6m	£1,090.00
3.0 x 3.6m	£1,175.00
3.6 x 3.6m	£1,360.00

Haybarns (& Fixed Field Shelters)

Incorporated into Stable Blocks	
3.6 x 3.6m	£1,280.00
4.5 x 3.6m	£1,515.00
6.0 x 3.6m	£1,830.00
7.2 x 3.6m	£2,130.00
9.0 x 3.6m	£2,580.00
12.0 x 3.6m	£3,625.00
For Corner Haybarns – add	£375.00
For Free Standing Haybarns - add	£425.00
Kickboarding (to create fixed field shelter)	Price on request

Covered Walkways

2.4 x 3.6m	£850.00
3.0 x 3.6m	£955.00
3.6 x 3.6m	£1,145.00

Ride Through Archways

3.6 x 4.8m	£2,450.00
4.5 x 4.8m	£2,890.00



All prices are exclusive of delivery and VAT



Royal Stables Specification (green text indicates upgrade from Prime Range)

Shiplap Cladding

Top grade redwood shiplap cladding 16mm x 150mm, fixed with 50mm sheradised ring shank nails.

Framework

The Frameworks are manufactured with kiln dried timber, 47mm x 75mm. All timber is regularised and strength graded for structural use to C16-C24.

Kickboarding

All stables are kickboarded as standard to a height of 1.2m high with exterior grade 12mm Spruce plywood – multiple 5 layered, for structural integrity.

Roof

Black Onduline roof with matching ridge. Comes with a 15 year manufacturers warranty and has been wind tested up to 120mph. Also available in green, brown or red (see price below). Each stable includes one clear roof sheet.

Standard roof pitch is 20 degrees.

Purlins 100mm x 47mm, 125mm x 47mm, 100mm x 100mm. Fitted to Onduline specification.

Doors

Doors are manufactured from 125mm x 25mm tongue, groove and v-jointed timber, ledged and braced.

Both top and bottom doors are lined with exterior grade plywood to give an overall thickness of 50mm.

Stable door size 1.1m wide x 2.1 high. Top door 0.8m high. Bottom door height 1.3m.

Bottom doors are furnished with 1 x strong anti-chew strip, 1 x heavy duty kick-over latch and 1 x 225mm brenton bolt, 1 x 150mm cabin hook & 1 pair of 600mm heavy duty hook and band hinges.

Top doors have 1 x 100mm oval pad bolt, 1 x 150mm cabin hook, 1 pair of 600mm heavy duty hook & band hinges. Top door frame protection included.

All door furniture is fully galvanised.

Guttering

100mm half round black guttering with 50mm round downpipes are fitted as standard to the front of all buildings. Back guttering is available.

Windows

One 2-pane hopper window with heavy duty mesh is fitted to the front of each stable and to the rear of corner boxes, 0.78m wide x 1.04m high.

Preservative

Buildings are treated with an animal friendly preservative product to a golden brown finish before leaving our workshop.

Other Details

All buildings are 2.2m to the eaves and approximately 3.2m to the ridge, when erected on one course of bricks.

Overhang at 1.2m deep, lined with exterior grade plywood.

Back and end panels as standard come with weather prevention DPC skirt to eliminate water penetrating the base of the walls.

All internal roof trusses are open to aid ventilation except when sited next to a tack/feed room. In this instance they are fully boarded to ensure security is maintained.

Tack rooms are lined to eaves with exterior grade 9mm Spruce plywood.

One gable end vent included at each end.

Royal Range Optional Extras

Additional clear roof sheets	£35.00 each	Additional stable door	£250.00 per door
Back guttering	£10.00 per mtr run	Top stable door	£105.00 per door
Full lining to eaves height -12mm ply	£190.00 per stable	Bottom stable door	£145.00 per door
Galvanised talk grill - 890W x 610H	£65.00 each	Tack room door - pad bolt	£150.00 per door
Galvanised talk grill - 1170W x 760H	£90.00 each	Upgrade tack room door – rim lock	£50.00 per door
Anti-weave grill	£60.00 each	Upgrade tack room door – mortice lock	£170.00 per door
Stallion grill	£60.00 each	Wooden gate	£195.00 each
Timber floor	£26.00 per sq mtr	Metal gate	£135.00 each
Support post (100mm x 100mm)	£46.00 each	Plywood lining to gates	£45.00 per gate
Curved angle braces	£20.00 each	Barn doors - 2.1m wide	£235.00 per set
Upgrade overhang lining to shiplap	£6.00 per mtr run	Barn doors - 2.4m wide	£280.00 per set
Upgrade overhang lining to T,G & V	£8.00 per mtr run	Upgrade to full door frame protection	£40.00 per door
Coloured Onduline (with matching ridge)	£22.00 per mtr run	Extra deep door protection	£45.00 per door
Profile 6 fibre cement	Price on request	Weatherboard cladding (150mm)	£35.00 per mtr run
Underline roof - 11mm Smartply	£45.00 per mtr run	Clock tower	from £695.00 each
Underline roof - 15mm Smartply	£55.00 per mtr run	(includes clock to one face only)	
Additional 2-pane hopper window	£175.00 each	Weathervanes	from £195.00 each
Upgrade to window with galvanised grill	£46.00 each	Clock only	from £425.00 each

All prices are exclusive of delivery and VAT

Premier Range



Stables

3.6 x 3.6m	£4,205.00
Additional boxes	£3,915.00

Pony Boxes

3.0 x 3.6m	£3,900.00
Additional boxes	£3,630.00

Foaling Boxes

4.2 x 3.6m	£4,650.00
Additional boxes	£4,375.00



Corner Boxes

4.5 x 4.5m	£4,965.00
4.9 x 3.6m	£4,965.00
5.4 x 3.6m	£5,380.00

Tack Rooms

1.8 x 3.6m	£1,915.00
2.4 x 3.6m	£2,275.00
3.0 x 3.6m	£2,540.00
3.6 x 3.6m	£2,950.00



Haybarns (& Fixed Field Shelters)

Incorporated into Stable Blocks	
3.6 x 3.6m	£2,710.00
4.5 x 3.6m	£3,260.00
6.0 x 3.6m	£4,075.00
7.2 x 3.6m	£4,790.00
9.0 x 3.6m	£5,860.00
12.0 x 3.6m	£8,075.00
For Corner Haybarns – add	£685.00
For Free Standing Haybarns - add	£520.00
Kickboarding (to create fixed field shelter)	Price on request



Covered Walkways

2.4 x 3.6m	£1,810.00
3.0 x 3.6m	£2,105.00
3.6 x 3.6m	£2,520.00

Ride Through Archways

3.6 x 5.1m	£4,410.00
4.5 x 5.1m	£5,075.00

All prices are exclusive of delivery and VAT



Premier Stables Specification (red text indicates upgrade from Royal Range)

Shiplap Cladding

Top grade redwood shiplap cladding **19mm x 150mm**, fixed with 50mm sheradised ring shank nails.

Framework

The Frameworks are manufactured with kiln dried timber, **47mm x 94mm**. All timber is regularised and strength graded for structural use to C16-C24.

Kickboarding

All stables are lined to eaves with exterior grade **18mm Spruce plywood – multiple 7 layered**, for structural integrity.

Roof

Felt shingle roof, nailed to **18mm smartply boarding**. Felt shingles are available in green, brown, red, black or grey.

Standard roof pitch is 25 degrees.

Cedar shingles are available upon request. We can also supply our buildings ready to accommodate clay tiles. Please call for more information.

Doors

Doors are manufactured from 125mm x 25mm tongue, groove and v-jointed timber, ledged and braced.

Both top and bottom doors are lined with exterior grade plywood to give an overall thickness of 50mm.

Stable door size 1.2m wide x 2.4 high. Top door 1.1m high. Bottom door height 1.3m.

Bottom doors are furnished with 1 x strong anti-chew strip, 1 x heavy duty kick-over latch and 1 x 225mm brenton bolt, 1 x 150mm cabin hook & 1 pair of 600mm heavy duty hook and band hinges. **Includes extra deep door protection.**

Top doors have 1 x 100mm oval pad bolt, 1 x 150mm cabin hook, 1 pair of 600mm heavy duty hook & band hinges. **Full door frame protection included.**

Tack room doors are framed ledged and braced and fitted with a mortice lock.

Guttering

100mm half round black guttering with 50mm round downpipes are fitted as standard to the **front and rear of all buildings.**

Windows

One 4-pane hopper window with heavy duty galvanised grill is fitted to the front of each stable and to the rear of corner boxes, 1.2m wide x 1.04m high.

Preservative

Buildings are treated with an animal friendly preservative product to a golden brown finish before leaving our workshop.

Other Details

All buildings are 2.4m to the eaves and approximately 3.7m to the ridge, when erected on one course of bricks.

Overhang at 1.5m deep, lined with shiplap.

Back and end panels as standard come with weather prevention DPC skirt to eliminate water penetrating the base of the walls.

All internal roof trusses are open to aid ventilation except when sited next to a tack/feed room. In this instance they are fully boarded to ensure security is maintained.

Tack rooms are lined to eaves with exterior grade **12mm Spruce plywood.**

Two gable end vents included at each end.

Premier Range Optional Extras

Heavy duty talk grill – 1.6m wide	£120.00 each	Bottom stable door	£170.00 per door
Heavy duty talk grill – 2.2m wide	£145.00 each	Tack room door (mortice lock)	£345.00 per door
Heavy duty talk grill – 2.8m wide	£170.00 each		
Anti-weave grill	£60.00 each	Metal framed stable door	£375.00 per door
Stallion grill	£60.00 each	Metal framed tack room door	£350.00 per door
Timber floor	£26.00 per sq mtr	Wooden gate	£195.00 each
		Metal gate	£135.00 each
Upgrade overhang lining to T,G & V	£6.50 per mtr run	Plywood lining to gates	£45.00 per gate
		Barn doors - 2.1m wide	£310.00 per set
Upgrade to Cedar single roof	Price on request	Barn doors - 2.4m wide	£365.00 per set
Upgrade to accommodate clay tiles	Price on request		
Upgrade to 1.8m overhang	Price on request	Clock tower	from £695.00 each
Upgrade to featheredge cladding	Price on request	(includes clock to one face only)	
		Weather vanes	from £195.00 each
Additional 4-pane hopper window	£255.00 each	Clock only	from £425.00 each
Additional stable door	£300.00 per door	All prices are exclusive of delivery and VAT	
Top stable door	£130.00 per door		



Mobile Field Shelters on timber towing frame

Without Overhang

3.0 x 3.6m	One opening 2.1m wide	£1,430.00
3.6 x 3.6m	One opening 2.1m wide	£1,520.00
4.5 x 3.6m	One opening 2.1m wide	£1,870.00
4.8 x 3.6m	One opening 2.1m wide	£1,990.00

As above, with 0.9m Overhang

3.0 x 3.6m	One opening 2.1m wide	£1,510.00
3.6 x 3.6m	One opening 2.1m wide	£1,580.00
4.5 x 3.6m	One opening 2.1m wide	£1,950.00
4.8 x 3.6m	One opening 2.1m wide	£2,065.00

Mobile Field Shelter with Tack/Feed Room on timber towing frame

Includes full height partition, metal gate, 0.9m overhang, single door and timber floor in tack/feed room.

4.8 x 3.6m	3.6m box and 1.2m tack/feed room	£2,650.00
4.8 x 3.6m	3.0m box and 1.8m tack/feed room	£2,715.00



Mobile Field Shelters on a galvanised steel towing frame

Without Overhang

3.6 x 3.6m	One opening 2.1m wide	£1,890.00
4.5 x 3.6m	One opening 2.1m wide	£2,185.00
6.0 x 3.6m	Two openings 2.1m wide	£2,540.00
7.2 x 3.6m	Two openings 2.1m wide	£2,910.00
4.5 x 3.1m	One opening 2.1m wide	£2,115.00
6.0 x 3.1m	Two openings 2.1m wide	£2,475.00
7.2 x 3.1m	Two openings 2.1m wide	£2,875.00

As above, with 0.9m Overhang

3.6 x 3.6m	One opening 2.1m wide	£2,035.00
4.5 x 3.6m	One opening 2.1m wide	£2,405.00
6.0 x 3.6m	Two openings 2.1m wide	£2,910.00
7.2 x 3.6m	Two openings 2.1m wide	£3,310.00
4.5 x 3.1m	One opening 2.1m wide	£2,330.00
6.0 x 3.1m	Two openings 2.1m wide	£2,765.00
7.2 x 3.1m	Two openings 2.1m wide	£3,200.00



Mobile Stables on a galvanised steel towing frame

Kickboarded to 1.2m high, 0.9m overhang with front guttering, windows and chew-strips to the bottom doors.

7.2 x 3.6m	Two complete stables	£4,050.00
10.8 x 3.6m	Three complete stables	£5,745.00

Mobile Tack Room on a galvanised steel towing frame

With 0.9m Overhang

3.0 x 3.0m	Includes timber floor and single door	£2,115.00
------------	---------------------------------------	-----------



Mobile Field Shelter with Tack/Feed Room on a galvanised steel towing frame

Includes full height partition, wooden gate, 0.9m overhang, single door and timber floor in tack/feed room.

6.0 x 3.1m	4.2m box and 1.8m tack/feed room	£3,460.00
7.2 x 3.1m	5.4m box and 1.8m tack/feed room	£3,900.00
6.0 x 3.6m	4.2m box and 1.8m tack/feed room	£3,630.00
7.2 x 3.6m	5.4m box and 1.8m tack/feed room	£4,030.00

All prices are exclusive of delivery and VAT

Mobile Field Shelter Specification

Shiplap Cladding

Top grade redwood shiplap cladding 16mm x 150mm, fixed with 50mm sheradised ring shank nails.

Framework

The Frameworks are manufactured with kiln dried timber, 47mm x 75mm. All timber is regularised and strength graded for structural use to C16-C24.

Kickboarding

All field shelters are kickboarded as standard to a height of 1.2m high with exterior grade 12mm Spruce plywood – multiple 5 layered, for structural integrity.

Roof

Black Onduline roof with galvanised ridge. Comes with a 15 year manufacturers warranty and has been wind tested up to 120mph. Also available in green, brown or red (see price below).

Standard roof pitch is 15 degrees.

Purlins 100mm x 47mm, 125mm x 47mm, 100mm x 100mm. Fitted to Onduline specification.

Doors (optional extras)

Doors are manufactured from 125mm x 25mm tongue, groove and v-jointed timber, ledged and braced.

Both top and bottom doors are lined with exterior grade plywood to give an overall thickness of 50mm.

Stable door size 1.1m wide x 2.1 high. Top door 0.8m high. Bottom door height 1.3m.

Bottom doors are furnished with 1 x strong anti-chew strip, 1 x heavy duty kick-over latch and 1 x 225mm brenton bolt, 1 x 150mm cabin hook and 1 pair of 600mm heavy duty tee hinges.

Top doors have 1 x 100mm oval pad bolt, 1 x 150mm cabin hook, 1 pair of 600mm heavy duty tee hinges.

All door furniture is fully galvanised.

Guttering

100mm half round black guttering with 50mm round downpipes are fitted as standard to the front of all buildings. Back guttering is available.

Towing Frame

Timber towing frame is constructed with 94mm x 94mm pressure treated timber.

Steel towing frame is galvanised 100mm x 50mm box shape.

Towing points at both ends, includes heavy duty chain.

Preservative

Buildings are treated with an animal friendly preservative product to a golden brown finish before leaving our workshop.

Other Details

All buildings are 2.2m to the eaves and approximately 2.9m to the ridge.

Overhang at 0.9m deep, supplied unlined (if applicable)

All internal roof trusses are open to aid ventilation except when sited next to a tack/feed room. In this instance they are fully boarded to ensure security is maintained.

Mobile Field Shelter Optional Extras

Clear roof sheets	£35.00 each	Stable Conversion kit	£295.00 per door
Gable end vents	£35.00 each	Tack room door – pad bolt	£120.00 per door
Back guttering	£10.00 per mtr run	Wooden gate	£195.00 each
Full lining to eaves height -9mm ply	£155.00 per stable	Metal gate	£135.00 each
Full lining to eaves height -12mm ply	£190.00 per stable	Plywood lining to gates	£45.00 per gate
Galvanised talk grill - 890W x 610H	£65.00 each	Barn doors - 2.1m wide	£175.00 per set
Galvanised talk grill - 1170W x 760H	£90.00 each	Barn doors - 2.4m wide	£220.00 per set
Timber floor	£26.00 per sq mtr	Slip rail and brackets	£25.00 per set
Overhang lined in plywood	£20.00 per mtr run	(Includes 1 x 2.4m length 100 x 47mm timber)	
Overhang lined in shiplap	£24.00 per mtr run	Full opening protection – 2.1m	£150.00 per opening
Overhang lined in T, G & V	£25.00 per mtr run	Top door frame protection	£70.00 per door
Coloured Onduline	£18.00 per mtr run	Full door frame protection	£110.00 per door
Matching ridge	£9.50 per mtr run	Extra deep door protection	£45.00 per door
Full height internal partition	£190.00 each	All prices are exclusive of delivery and VAT	
Half height internal partition	£115.00 each		



Prime Range Internal Stable Partitions (supply only)

Back and End Walls - Shiplap clad to full height	
3.0 wide x 2.2m high	£175.00
3.6 wide x 2.2m high	£250.00
4.2 wide x 2.2m high	£265.00
Dividing Walls - Kickboarded to 1.2m high (one side lined to full height)	
3.0 wide x 2.2m high	£175.00
3.6 wide x 2.2m high	£230.00
4.2 wide x 2.2m high	£255.00
Front Walls - Shiplap clad to full height. Includes 1.2m wide galvanised grill and bottom stable door.	
3.0 wide x 2.2m high	£265.00
3.6 wide x 2.2m high	£295.00
4.2 wide x 2.2m high	£345.00

Prime Range American Barns

9.0 x 10.2m Includes 6 no. 3.0 x 3.6m stables with 3.0m walkway	£10,995.00
<i>Additional 3.0m length to create 2 additional stables</i>	£3,675.00
10.8 x 10.2m Includes 6 no. 3.6 x 3.6m stables with 3.0m walkway	£13,955.00
<i>Additional 3.6m length to create 2 additional stables</i>	£4,650.00
12.6 x 10.2m Includes 6 no. 4.2 x 3.6m stables with 3.0m walkway	£15,975.00
<i>Additional 4.2m length to create 2 additional stables</i>	£5,325.00

Prime Range American Barns Specification

Shiplap Cladding

Top grade redwood shiplap cladding 16mm x 150mm, fixed with 50mm sheradised ring shank nails.

Framework

The Frameworks are manufactured with kiln dried timber, 47mm x 75mm. All timber is regularised and strength graded for structural use to C16-C24.

Kickboarding

All stables are kickboarded as standard to a height of 1.2m high with exterior grade 12mm Spruce plywood – multiple 5 layered, for structural integrity.

Roof

Black Onduline roof with galvanised ridge. Comes with a 15 year manufacturers warranty and has been wind tested up to 120mph. Also available in green, brown or red (see optional extras). Clear roof sheet included above each box.

Standard roof pitch is 15 degrees.

Purlins 100mm x 47mm, 125mm x 47mm, 100mm x 100mm. Fitted to Onduline specification.

Doors

Bottom doors only. Manufactured from 125mm x 25mm tongue, groove and v-jointed timber, ledged and braced.

Doors are lined with exterior grade plywood to give an overall thickness of 50mm.

Stable door size 1.1m x 1.3m high.

Doors are furnished with 1 x strong anti-chew strip, 1 x heavy duty kick-over latch, 1 x 225mm brenton bolt, 1 x 150mm cabin hook and 1 pair of 600mm heavy duty tee hinges.

2.4m wide double doors at each end.

Guttering

100mm half round black guttering with 50mm round downpipes are fitted as standard to both sides.

Windows

One sliding window is fitted to the rear of each stable.

Preservative

Buildings are treated with an animal friendly preservative product to a golden brown finish before leaving our workshop.

Internal Partitions

Timber frame partitions with shiplap cladding to full height on all front walls. All stables are kickboarded internally to 1.2m high with very strong 12mm exterior grade plywood. Front walls include a 1.2m wide grill.

Other Details

All buildings are 2.2m to the eaves and 3.7m to the ridge when erected on one course of bricks. Two gable end vents at each end.

Optional Extras

Additional clear roof sheets	£35.00 each
Full lining to eaves height -9mm ply	£155.00 per stable
Full lining to eaves height -12mm ply	£190.00 per stable
Galvanised talk grill - 890W x 610H	£65.00 each
Galvanised talk grill - 1170W x 760H	£90.00 each
Anti-weave grill	£60.00 each
Stallion grill	£60.00 each
Coloured Onduline	£42.00 per mtr run
Coloured Onduline ridge	£9.50 per mtr run
Additional sliding window	£30.00 each
Upgrade to framed sliding window	£50.00 each
Additional framed sliding window	£85.00 each
Sliding doors (to ends of barn)	£690.00 per set
Additional bottom stable door	£125.00 per door
Top stable door	£85.00 per door
Tack room door - pad bolt	£120.00 per door
Upgrade tack room door – rim lock	£50.00 per door
Upgrade tack room door – mortice lock	£170.00 per door
Top door frame protection	£70.00 each
Full door frame protection	£110.00 per door
Extra deep door protection	£45.00 per door

All prices are exclusive of delivery and VAT

**Royal Range Internal Stable Partitions** (supply only)**Back and End Walls - Shiplap clad to full height**

3.0 wide x 2.4m high	£205.00
3.6 wide x 2.4m high	£275.00
4.2 wide x 2.4m high	£295.00

Dividing Walls - Kickboarded to 1.2m high (one side lined to full height)

3.0 wide x 2.4m high	£190.00
3.6 wide x 2.4m high	£255.00
4.2 wide x 2.4m high	£285.00

Front Walls - Shiplap clad to 1.2m high. Includes large galvanised grill and bottom stable door.

3.0 wide x 2.4m high	£445.00
3.6 wide x 2.4m high	£495.00
4.2 wide x 2.4m high	£595.00

**Royal Range American Barns**

9.0 x 10.2m Includes 6 no. 3.0 x 3.6m stables with 3.0m walkway	£14,475.00
<i>Additional 3.0m length to create 2 additional stables</i>	£4,825.00
10.8 x 10.2m Includes 6 no. 3.6 x 3.6m stables with 3.0m walkway	£17,880.00
<i>Additional 3.6m length to create 2 additional stables</i>	£5,960.00
12.6 x 10.2m Includes 6 no. 4.2 x 3.6m stables with 3.0m walkway	£20,370.00
<i>Additional 4.2m length to create 2 additional stables</i>	£6,790.00

Royal Range American Barns Specification

(green text indicates upgrade from Prime Range)

Shiplap Cladding

Top grade redwood shiplap cladding 16mm x 150mm, fixed with 50mm sheradised ring shank nails.

Framework

The Frameworks are manufactured with kiln dried timber, 47mm x 75mm. All timber is regularised and strength graded for structural use to C16-C24.

Kickboarding

All stables are kickboarded as standard to a height of 1.2m high with exterior grade 12mm Spruce plywood – multiple 5 layered, for structural integrity.

Roof

Black Onduline roof with matching ridge. Comes with a 15 year manufacturers warranty and has been wind tested up to 120mph. Also available in green, brown or red (see optional extras). Clear roof sheet included above each box.

Standard roof pitch is 20 degrees.

Purlins 100mm x 47mm, 125mm x 47mm, 100mm x 100mm. Fitted to Onduline specification.

Doors

Bottom doors only. Manufactured from 125mm x 25mm tongue, groove and v-jointed timber, ledged and braced.

Doors lined with exterior grade plywood giving an overall thickness of 50mm.

Stable door size 1.1m x 1.3m high.

Doors are furnished with 1 x strong anti-chew strip, 1 x heavy duty kick-over latch, 1 x 225mm brenton bolt, 1 x 150mm cabin hook and 1 pair of 600mm heavy duty hook & band hinges. Top door frame protection is included.

2.4m wide double doors at each end.

Guttering

100mm half round black guttering with 50mm round downpipes are fitted as standard to both sides.

Windows

One 2-pane hopper window with heavy duty mesh is fitted to the rear of each stable, 0.78m wide x 1.04m high.

Preservative

Buildings are treated with an animal friendly preservative product to a golden brown finish before leaving our workshop.

Internal Partitions

Timber frame partitions with shiplap cladding on all front walls. All stables are kickboarded internally to 1.2m high with very strong 12mm exterior grade plywood. Front walls include a large grill.

Other Details

All buildings are 2.4m to the eaves and 4.5m to the ridge when erected on one course of bricks. Two gable end vents at each end.

Optional Extras

Additional clear roof sheets	£35.00 each
Full lining to eaves height -12mm ply	£190.00 per stable
Heavy duty talk grill – 1.6m wide	£120.00 each
Heavy duty talk grill – 2.2m wide	£145.00 each
Heavy duty talk grill – 2.8m wide	£170.00 each
Anti-weave grill	£60.00 each
Stallion grill	£60.00 each
Coloured Onduline (with matching ridge)	£52.00 per mtr run
Additional 2-pane hopper window	£175.00 each
Upgrade to window with galvanised grill	£40.00 each
Sliding doors (to ends of barn)	£690.00 per set
Additional bottom stable door	£145.00 per door
Top stable door	£105.00 per door
Tack room door – pad bolt	£150.00 per door
Upgrade tack room door – rim lock	£50.00 per door
Upgrade tack room door – mortice lock	£170.00 per door
Upgrade to full door frame protection	£40.00 per door
Extra deep door protection	£45.00 per door

All prices are exclusive of delivery and VAT



Premier Range Internal Stable Partitions (supply only)

Back and End Walls - Steel framed with 35mm softwood infill - Fully boarded	
3.0 wide x 2.4m high	£420.00
3.6 wide x 2.4m high	£470.00
4.2 wide x 2.4m high	£595.00

Dividing walls - Steel framed with 35mm softwood infill - Half grill

3.0 wide x 2.4m high	£380.00
3.6 wide x 2.4m high	£425.00
4.2 wide x 2.4m high	£535.00

Front Walls - Steel framed with 35mm softwood infill - Includes heavy duty grill and metal framed bottom stable door

3.0 wide x 2.4m high	£535.00
3.6 wide x 2.4m high	£595.00
4.2 wide x 2.4m high	£675.00



Premier Range American Barns

9.0 x 10.2m Includes 6 no. 3.0 x 3.6m stables with 3.0m walkway	£23,595.00
<i>Additional 3.0m length to create 2 additional stables</i>	£7,865.00
10.8 x 10.2m Includes 6 no. 3.6 x 3.6m stables with 3.0m walkway	£26,895.00
<i>Additional 3.6m length to create 2 additional stables</i>	£8,965.00
12.6 x 10.2m Includes 6 no. 4.2 x 3.6m stables with 3.0m walkway	£30,705.00
<i>Additional 4.2m length to create 2 additional stables</i>	£10,235.00

Premier Range American Barns Specification

(red text indicates upgrade from Royal Range)

Shiplap Cladding

Top grade redwood **shiplap cladding** 19mm x 150mm, fixed with 50mm sheradised ring shank nails.

Framework

The Frameworks are manufactured with kiln dried timber, 47mm x 94mm. All timber is regularised and strength graded for structural use to C16-C24.

Kickboarding

35mm softwood timber.

Roof

Felt shingle roof, nailed to 18mm smartply boarding. Felt shingles are available in green, brown, red, black or grey.

Standard roof pitch is 20 degrees.

Doors

Bottom doors only. Steel framed construction infilled with 35mm softwood tongue and groove boards.

Stable door size 1.2m x 1.3m high.

2.4m wide sliding doors at both ends.

Guttering

100mm half round black guttering with 50mm round downpipes are fitted as standard to both sides.

Windows

One 4-pane hopper window with heavy duty galvanised grill is fitted to the rear of each stable, 1.2m wide x 1.04m high.

Preservative

Buildings are treated with an animal friendly preservative to a golden brown finish before leaving our workshop.

Internal Partitions

Steel frame partitions infilled with 35mm softwood tongue and groove timber. Front walls include a large grill.

Other Details

All buildings are 2.4m to the eaves and 4.5m to the ridge when erected on one course of bricks. Two gable end vents at each end.

Optional Extras

Velux centre pivot roof window (various sizes available)	Price on request
Heavy duty talk grill – 1.6m wide	£120.00 each
Heavy duty talk grill – 2.2m wide	£145.00 each
Heavy duty talk grill – 2.8m wide	£170.00 each
Anti-weave grill	£120.00 each
Additional 4-pane hopper window	£255.00 each
Additional bottom stable door	£155.00 each
Steel framed tack room door	£350.00 per door
Upgrade to sliding bottom door – open top	£165.00
Upgrade to sliding bottom door – full grill top	£190.00
Upgrade to sliding bottom door – anti-weave top	£205.00
Swivel feeder for front walls	£130.00

All prices are exclusive of delivery and VAT



Prime Garages

3.1 x 5.4m	Includes one pair of 2.4m wide doors	£1,985.00
3.1 x 7.2m		£2,650.00
3.1 x 9.0m		£3,260.00
3.6 x 5.4m	Includes one pair of 2.4m wide doors	£2,270.00
3.6 x 7.2m		£3,025.00
3.6 x 9.0m		£3,150.00
5.4 x 5.4m	Includes two pairs of 2.4m wide doors	£3,400.00
5.4 x 7.2m		£4,430.00
5.4 x 9.0m		£5,695.00



Prime Workshops

3.6 x 3.6m	Includes one personal door 0.81m wide and	£1,510.00
4.5 x 3.6m	two fixed windows	£1,890.00
5.4 x 3.6m		£2,215.00
4.5 x 4.5m	Includes one personal door 0.81m wide, one	£2,305.00
4.5 x 5.4m	pair of 2.1m wide doors and three fixed	£2,720.00
5.4 x 5.4m	windows	£3,225.00

Prime Garages & Workshop Specification

Shiplap Cladding

Top grade redwood shiplap cladding 16mm x 150mm, fixed with 50mm sheradised ring shank nails.

Framework

The Frameworks are manufactured with kiln dried timber, 47mm x 75mm. All timber is regularised and strength graded for structural use to C16-C24.

Wall Lining

Interior walls are unlined as standard, but various lining options are available. Please call for more information.

Roof

Black Onduline roof with galvanised ridge. Comes with a 15 year manufacturers warranty and has been wind tested up to 120mph. Also available in green, brown or red (see optional extras).

Apex roof lined with 11mm moisture resistant smartply.

Roof pitch at 15 degrees.

Purlins 100mm x 47mm, 100mm x 100mm. Fitted to Onduline specification.

Doors

Manufactured from 125mm x 25mm tongue, groove and v-jointed timber, ledged and braced.

Double doors are furnished externally with 1 x 225mm brenton bolt, 2 x 150mm cabin hook and 3 pairs of 600mm heavy duty tee hinges. Fitted internally with spring bolt and drop bolt.

Single doors are furnished with 1 x pad bolt, cabin hook and tee hinges.

Guttering

100mm half round black guttering with 50mm round downpipes are fitted as standard to both sides.

Windows - Workshops only

Fixed acrylic window, 600mm x 600mm. Alternative windows are available, please call for more information.

Preservative

Buildings are treated with an environmentally friendly preservative product to a golden brown finish before leaving our workshop.

Other Details

All buildings are 2.2m to the eaves. Ridge height varies between 2.8m and 3.1m, depending on building size.

Optional Extras

Line walls to eaves - 9mm plywood	£11.00 per sq mtr
Lining paper fitted to exterior walls	£4.10 per sq mtr
Insulation to walls and apex roof	£8.20 per sq mtr
Timber floor	£26.00 per sq mtr
Coloured Onduline	£18.00 per mtr run
Matching Ridge	£9.50 per mtr run
Additional fixed acrylic window	£40.00 each
Casement windows (various styles & sizes available)	Price on request
Double doors - 2.1m wide	£175.00 each
Double doors - 2.4m wide	£220.00 each
Personal door - pad bolt	£120.00 each
Upgrade personal door - rim lock	£50.00 each
Upgrade personal door - mortice lock	£170.00 each

All prices are exclusive of delivery and VAT



Royal Garages

3.1 x 5.4m	Includes one pair of 2.4m wide doors	£2,180.00
3.1 x 7.2m		£2,865.00
3.1 x 9.0m		£3,490.00
3.6 x 5.4m	Includes one pair of 2.4m wide doors	£2,475.00
3.6 x 7.2m		£3,240.00
3.6 x 9.0m		£3,380.00
5.4 x 5.4m	Includes two pairs of 2.4m wide doors	£3,670.00
5.4 x 7.2m		£4,710.00
5.4 x 9.0m		£5,995.00

Royal Workshops

3.6 x 3.6m	Includes one personal door 0.81m wide and two fixed cottage style windows	£1,775.00
4.5 x 3.6m		£2,165.00
5.4 x 3.6m		£2,490.00
4.5 x 4.5m	Includes one personal door 0.81m wide, one pair of 2.1m wide doors and three fixed cottage style windows	£2,700.00
4.5 x 5.4m		£3,125.00
5.4 x 5.4m		£3,800.00

Royal Garages & Workshop Specification

(green text indicates upgrade from Prime Range)

Shiplap Cladding

Top grade redwood shiplap cladding 16mm x 150mm, fixed with 50mm sheradised ring shank nails.

Framework

The Frameworks are manufactured with kiln dried timber, 47mm x 75mm. All timber is regularised and strength graded for structural use to C16-C24.

Wall Lining

Interior walls are unlined as standard, but various lining options are available. Please call for more information.

Roof

Black Onduline roof with matching ridge. Comes with a 15 year manufacturers warranty and has been wind tested up to 120mph. Also available in green, brown or red (see optional extras).

Apex roof lined with 11mm moisture resistant smartply.

Roof pitch at 20 degrees.

Purlins 100mm x 47mm, 100mm x 100mm. Fitted to Onduline specification.

Doors

Manufactured from 125mm x 25mm tongue, groove and v-jointed timber, ledged and braced.

Double doors are furnished exteriorly with 1 x 225mm brenton bolt, 2 x 150mm cabin hook and 3 pairs of 600mm heavy duty hook & band hinges. Fitted internally with spring bolt and drop bolt.

Single doors are furnished with 1 x pad bolt, cabin hook and hook and band hinges.

Guttering

100mm half round black guttering with 50mm round downpipes are fitted as standard to both sides.

Windows - Workshops only

Cottage style fixed acrylic window, 600mm x 600mm. Alternative windows are available, please call for more information.

Preservative

Buildings are treated with an environmentally friendly preservative product to a golden brown finish before leaving our workshop.

Other Details

All buildings are 2.2m to the eaves. Ridge height varies between 2.9m and 3.3m, depending on building size.

Optional Extras

Line walls to eaves - 9mm plywood	£11.00 per sq mtr
Lining paper fitted to exterior walls	£4.10 per sq mtr
Insulation to walls and apex roof	£8.20 per sq mtr
Timber floor	£26.00 per sq mtr
Coloured Onduline (matching ridge)	£22.00 per mtr run
Profile 6 roofing	Price on request
Additional cottage style window	£70.00 each
Casement windows (various styles & sizes available)	Price on request
Double doors - 2.1m wide	£235.00 each
Double doors - 2.4m wide	£280.00 each
Personal door - pad bolt	£150.00 each
Upgrade personal door - rim lock	£50.00 each
Upgrade personal door - mortice lock	£170.00 each

All prices are exclusive of delivery and VAT



Premier Garages

3.1 x 5.4m	Includes one pair of 2.4m wide doors	£3,715.00
3.1 x 7.2m		£4,940.00
3.1 x 9.0m		£5,635.00
3.6 x 5.4m	Includes one pair of 2.4m wide doors	£4,285.00
3.6 x 7.2m		£5,630.00
3.6 x 9.0m		£6,065.00
5.4 x 5.4m	Includes two pairs of 2.4m wide doors	£6,370.00
5.4 x 7.2m		£8,170.00
5.4 x 9.0m		£10,435.00

Premier Workshops

3.6 x 3.6m	Includes one personal door 0.83m wide and	£2,985.00
4.5 x 3.6m	one casement window	£3,640.00
5.4 x 3.6m		£3,990.00
4.5 x 4.5m	Includes one personal door 0.83m wide, one	£4,508.00
4.5 x 5.4m	pair of 2.1m wide doors and two casement	£5,240.00
5.4 x 5.4m	windows	£6,165.00

Premier Garages & Workshop Specification

(red text indicates upgrade from Royal range)

Shiplap Cladding

Top grade redwood shiplap cladding 19mm x 150mm, fixed with 50mm sheradised ring shank nails.

Framework

The Frameworks are manufactured with kiln dried timber, 47mm x 94mm. All timber is regularised and strength graded for structural use to C16-C24.

Wall Lining

Interior walls are unlined as standard, but various lining options are available. Please call for more information.

Roof

Felt shingle roof, nailed to 18mm smartply boarding. Felt shingles are available in green, brown, red, black or grey.

Standard roof pitch is 25 degrees.

Cedar shingles are available upon request. We can also supply our buildings ready to accommodate clay tiles. Please call for more information.

Doors

Manufactured from 125mm x 25mm tongue, groove and v-jointed timber, ledged and braced.

Double doors are furnished exteriorly with 1 x 225mm brenton bolt, 2 x 150mm cabin hook and 3 pairs of 600mm

heavy duty hook & band hinges. Fitted internally with spring bolt and drop bolt. Lined internally with exterior grade plywood.

Single doors are framed ledged and braced and fitted with mortice lock.

Guttering

100mm half round black guttering with 50mm round downpipes are fitted as standard to both sides.

Windows - Workshops only

Casement window included to workshops, 1221mm wide x 920mm high. Windows are optional extras on garages.

Preservative

Buildings are treated with an environmentally friendly preservative product to a golden brown finish before leaving our workshop.

Other Details

All buildings are 2.2m to the eaves. Ridge height varies between 3.1m and 3.6m, depending on building size.

Optional Extras

Line walls to eaves - 9mm plywood	£11.00 per sq mtr
Lining paper fitted to exterior walls	£4.10 per sq mtr
Insulation to walls and apex roof	£8.20 per sq mtr
Timber floor	£26.00 per sq mtr
Upgrade to Cedar shingle roof	Price on request
Upgrade to accommodate clay tiles	Price on request
Additional casement windows (various styles & sizes available)	Price on request
Double doors - 2.1m wide	£310.00 each
Double doors - 2.4m wide	£365.00 each
Additional Personal door - mortice lock	£345.00 each

All prices are exclusive of delivery and VAT



Royal Garden Buildings

Without overhang/verandah

3.6 x 2.4m	Includes glazed double doors and two	£1,910.00
4.5 x 2.4m	fixed light windows	£2,095.00
3.6 x 3.6m		£2,425.00
4.5 x 3.6m		£2,715.00
6.0 x 2.4m	Includes glazed double doors and three	£2,680.00
7.2 x 2.4m	fixed light windows	£2,915.00
6.0 x 3.6m		£3,405.00
7.2 x 3.6m		£3,740.00

With 1.2m overhang/verandah

3.6 x 3.6m	Includes glazed double doors and two	£2,695.00
4.5 x 3.6m	fixed light windows	£3,010.00
3.6 x 4.8m		£3,255.00
4.5 x 4.8m		£3,795.00
6.0 x 3.6m	Includes glazed double doors and three	£3,830.00
7.2 x 3.6m	fixed light windows	£4,200.00
6.0 x 4.8m		£5,120.00
7.2 x 4.8m		£5,865.00

Royal Garden Buildings Specification

Shiplap Cladding

Top grade redwood shiplap cladding 16mm x 150mm, fixed with 50mm sheradised ring shank nails.

Framework

The Frameworks are manufactured with kiln dried timber, 47mm x 75mm. All timber is regularised and strength graded for structural use to C16-C24.

Wall Lining

Interior walls are unlined as standard, but various lining options are available. Please call for more information.

Floor

Raised timber floor throughout. Decking included to edge of overhang/verandah (if applicable).

Roof

Black Onduline roof with matching ridge. Comes with a 15 year manufacturers warranty and has been wind tested up to 120mph. Also available in green, brown or red (see optional extras).

Apex roof lined with 11mm moisture resistant smartply.

Roof pitch at 20 degrees.

Doors

Doors are softwood panel doors, glazed with toughened glass. Fitted with mortice lock.

Guttering

100mm half round black guttering with 50mm round downpipes are fitted as standard to the front of all buildings. Back guttering is available.

Windows

Fixed light windows included, 631mm wide x 1200mm high. Quantity depends on building size (see above).

Preservative

Buildings are treated with an environmentally friendly preservative product to a golden brown finish before leaving our workshop.

Other Details

All buildings are 2.2m to the eaves. Ridge height varies between 2.8m and 3.2m, depending on building size.

Optional Extras

Back guttering	£10.00 per mtr run
Line walls to eaves - 9mm plywood	£11.00 per sq mtr
Lining paper fitted to exterior walls	£4.10 per sq mtr
Insulation to walls and apex roof	£8.20 per sq mtr
Upgrade to felt shingle roof	Price on request
Upgrade Cedar shingle roof	Price on request
Upgrade to accommodate clay tiles	Price on request
Internal partition	£190.00 each
Additional fixed light windows (Other styles & sizes available)	Price on request
Barn style double doors – 2.1m wide	£235.00 each
Barn style double doors – 2.4m wide	£280.00 each
Personal door – pad bolt	£150.00 each
Upgrade personal door – rim lock	£50.00 each
Upgrade personal door – mortice lock	£170.00 each

All prices are exclusive of delivery and VAT



Replacement Doors & Windows

Stable doors	from	£210.00
Bottom stable doors	from	£125.00
Top stable doors	from	£85.00
Stable door frame	from	£45.00
Top door frame protection	from	£70.00
Full door frame protection	from	£110.00
Extra deep door protection	from	£45.00
Tack room door (pad bolt)	from	£120.00
Tack room door (rim lock)	from	£170.00
Tack room door (mortice lock)	from	£345.00
Barn/Garage Doors – 2.1m	from	£175.00
Barn/Garage Doors – 2.4m	from	£220.00
Upgrade to Hook & Band hinges (set of 4)		£40.00
Upgrade to Cup & Pin hinges (set of 4)		£60.00
Fixed louvered window		£60.00
2-pane hopper window (with mesh)	from	£175.00
4-Pane hopper window (with grill)	from	£255.00
6-Pane Georgian windows (with mesh)		£275.00
8-Pane Georgian windows (with mesh)		£325.00
Wooden gate	from	£195.00
Metal gate	from	£135.00

Delivery Charges

A			H		R	
Anglesey	£485		Hampshire	FREE	Rutland	£245
B			Herefordshire	£245	S	
Bedfordshire	£145		Hertfordshire	£125	Scotland	POA
Berkshire	£110		Humberside	£495	Shropshire	£280
Buckinghamshire	£120		I		Somerset	£210
C			Isle of Wight	£275	Staffordshire	£275
Cambridgeshire	£195		K		Suffolk	£155
Carmarthenshire	£295		Kent	£175	Surrey	FREE
Ceredigion	£345		L		Sussex East	FREE
Cheshire	£420		Lancashire	£435	Sussex West	FREE
Cleveland	£520		Leicestershire	£245	Suffolk	£155
Conwy	£415		Lincolnshire North	£330	T	
Cornwall East	£350		Lincolnshire South	£275	Tyne & Wear	£495
Cornwall West	£380		M		V	
Cumbria	£540		Merseyside	£415	Vale of Glamorgan	£245
D			Monmouthshire	£235	W	
Derbyshire	£330		N		Warwickshire	£245
Devon	£325		Norfolk	£345	West Midlands	£250
Dorset	£210		Northamptonshire	£215	Wiltshire	£135
Durham	£490		Northumberland	£615	Worcestershire	£210
E			Nottinghamshire	£310	Y	
Essex	£200		O		Yorkshire East/West	£475
G			Oxfordshire	£135	Yorkshire North	£495
Gloucestershire	£210		P		Yorkshire South	£425
Greater Manchester	£425		Pembrokeshire	£345		
Gwynedd	£425		Powys	£330		

All delivery prices are exclusive of VAT